PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference						
2040198PC/ko	FOR FURTHER ACTION See Form PCT/IPEA/416					
International application No.	International filing date (day/month/year)	Priority date (day/month/year)				
PCT/FI2005/000077	04-02-2005	06-02-2004				
International Patent Classification (IPC) o		00-02-2004				
See Supplemental Box						
See Supplemental Box						
Applicant						
Nokia Corporation et al						
 This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36. 						
2. This REPORT consists of a total of 4 sheets, including this cover sheet.						
3. This report is also accompanied by ANNEXES, comprising:						
K-7						
sneets, as follows:						
sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).						
sheets which s	supersede earlier sheets, but which this Authorit	ty considers contain an amendment that goes				
beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.						
<u> </u>						
b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s))						
, containing a sequence listing and/or tables related thereto, in electronic form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the						
Administrative Instructions).						
4. This report contains indications relating to the following items:						
	the report					
Box No. II Priority						
Box No. III Non-esta						
	unity of invention					
Box No. V Reasoned	Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial					
	applicability; citations and explanations supporting such statement Box No. VI Certain documents cited					
Box No. VII Certain d	Box No. VII Certain defects in the international application					
Date of submission of the demand	Date of completion of	f this report				
17-11-2005	03-02-2006	03-02-2006				
Name and mailing address of the IPEA/SE	Authorized officer					
Patent- och registreringsverket						
Ralf Boström / MRo						
Facsimile No. +46 8 667 72 88		hone No. +46 8 782 25 00				

Form PCT/IPEA/409 (cover sheet) (April 2005)

IAP11 Rec a PONDE US AUG International application No.

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

PCT/F12005/000077

Supplemental Box

In case the space in any of the preceding boxes is not sufficient. Continuation of: Cover sheet

INTERNATIONAL PATENT CLASSIFICATION (IPC):

H04L 12/28 (2006.01)

H04L 12/18 (2006.01)

H04L 12/66 (2006.01)

H04L 29/06 (2006.01)

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/FI2005/000077

citations and explanations supporti			inder Article tions support	35(2) with regard to novelty, inventive step or industrial applicability; ing such statement	
1.	Statement	1			
	Novel	lty (N)	Claims Claims	1-15	YES NO
	Inven	tive step (IS)	Claims Claims	1-15	YES NO
	Indust	trial applicability (IA)	Claims Claims	1-15	YES NO

2. Citations and explanations (Rule 70.7)

Documents cited in the International Search Report:

- D1. US 5999530 A1
- D2. US 2003084191 A1
- D3. US 2003061333 A1
- D4. US 5742905 B1

The cited documents represent the general state of the art. The invention defined in claims 1-15 is not disclosed by any of these documents.

The cited prior art does not give any indication that would lead a person skilled in the art to the claimed method of arranging communication in a local area network. Therefore, the claimed invention is not obvious to a person skilled in the art.

Accordingly, the invention defined in claims 1-15 is novel and is considered to involve an inventive step. The invention is industrially applicable.

10/587979 IAP11 Rec'd PCT/PTO 03 AUG 2006

CLAIMS

5

10

1. A method of arranging communication in a local area networking system comprising a first device, a second device and an intermediate node for arranging data transmission between the first device and the second device, wherein at least the second device is arranged to multicast and/or broadcast messages to devices in the system, the method comprising

checking the destination address of a received packet by the intermediate node, and

comparing the destination address of the packet with at least one predetermined multicast and/or broadcast address, characterized by the method further comprising

preventing in the system the transmission of the packet to the first device if the addresses match.

- 2. A method as claimed in claim 1, characterized in that
 the intermediate node is arranged to connect networks that use different data transmission protocols.
 - 3. A method as claimed in claim 1 or 2, characterized in that the destination address is an IP address.
- 4. A method as claimed in claim 1, 2 or 3, characterized in that the first device belongs to the MHS domain of a UPnP system and the second device belongs to the HNv1 domain of the UPnP system.
 - 5. A method as claimed in claim 4, characterized in that the transmission of UPnP discovery multicast messages to the first device is prevented.
- 6. A local area networking system comprising a first device, a second device and an intermediate node for arranging data transmission between the first device and the second device, wherein at least the second device is arranged to multicast and/or broadcast messages to devices in the system,

30 the system is arranged to check the destination address of a received packet,

the system is arranged to compare the destination address of the packet with at least one predetermined multicast and/or broadcast address, characterized in that

the system is arranged to prevent in the system the transmission of the packet to the first device if the addresses match.

7. A data processing device for a local area networking system, the data processing device being an intermediate node arranging data transmission between a first device and a second device, wherein the data processing device is arranged to check the destination address of a received packet by the intermediate node,

5

10

20

25

35

the data processing device is arranged to compare the destination address of the packet with at least one predetermined multicast and/or broadcast address, characterized in that

the data processing device is arranged to prevent the transmission of the packet in the system to the first device if the addresses match.

8. A data processing device according to claim 7, characterized in that

15 the data processing device is arranged to connect networks that use different data transmission protocols.

9. A data processing device according to claim 8, characterized in that

the data processing device is arranged to perform data transmission between an IEEE 802-based network to which the second device belongs and a Bluetooth network to which the first device belongs.

- 10. A data processing device according to claim 7, 8, or 9, characterized in that the destination address is an IP address.
- 11. A data processing device according to any preceding claim 7 10, characterized in that

the data processing device is arranged to provide data transmission between the first device belonging to the MHS domain of a UPnP system and the second device belonging to the HNv1 domain of the UPnP system.

A data processing device according to claim 11,
 characterized in that

the data processing device is arranged to prevent transmission of UPnP discovery multicast messages to the first device, and

the data processing device is arranged to forward at least the broadcast messages relating to address acquisition to the first device.

13. A data processing device according to any preceding claim 7 - 12, characterized in that

the data processing device is arranged to compare one or more properties of the message to the properties specified in predetermined transmission conditions to determine whether the message should be transferred to the first device.

14. Module for controlling a data processing device for a local area networking system, whereinthe module is arranged to check the destination address of a received packet by the intermediate node,

5

10

15

20

25

the module is arranged to compare the destination address of the packet with at least one predetermined multicast and/or broadcast address, characterized in that

the module is arranged to prevent the transmission of the packet in the system to the first device if the addresses match.

15. A computer program product for controlling a data processing device for a local area networking system by executing the program code included in the computer product in a processor of the data processing device, the computer product comprising

a program code portion for causing the data processing device tocheck the destination address of a received packet by the intermediate node,

a program code portion for causing the data processing device to compare the destination address of the packet with at least one predetermined multicast and/or broadcast address, characterized by further comprising:

a program code portion for causing the data processing device to prevent the transmission of the packet in the system to the first device if the addresses match.